

ROOF COATINGS







CONCRETE TILES

GALVANISED IRON

DECRAMASTIC

Procoat Roof is a range of premium quality roof coatings formulated to provide maximum protection against New Zealand's unique weather conditions. Procoat Roof is 100% New Zealand made, and specially formulated for use by professional roof applicators. The Procoat Roof range includes primers, sealers and 100% acrylic topcoats to ensure excellent adhesion and UV protection with outstanding durability. Procoat Roof topcoats are available in gloss, satin and matt finishes.

- ✓ NZ Made for our unique environmental conditions
 - ✓ Quick dry formula
 - Waterbased
 - ✓ Environmentally friendly
 - ✓ Application down to 5°C
- ✓ Topcoats available in gloss, satin and matt finishes
- ✓ A range of undercoats to suit specific roof substrates

Procoat Roof Colour Range

The Procoat Roof range of colours have been selected for durability and colour fastness on New Zealand roofs. Colours marked with a CS are matched to new and existing Colorsteel® colours.





Key: cs Colorsteel® colour

Note: Colours on this chart are representative only. For accurate colour representation, please order a colour chart from your Procoat Roof representative.

Accurate reproduction of the colours featured on this chart can only be guaranteed using Procoat Roof products. Colours may vary due to different gloss levels, lighting, substrate texture and application. For more detailed product information, including the product guarantees, visit www.decora.co.nz

10 Year Guarantee

The Procoat Roof paint system offers a standard 10 year guarantee when applied by an approved applicator. This system involves thoroughly preparing the surface by removing all dirt and contaminants, and treating the roof with Procoat Roof Clean moss, mould and lichen treatment. The roof is then sealed and/or primed (depending on the substrate and condition of the roof), before the application of chosen Procoat topcoat.

Galvanised Iron

- Apply 1 coat of Procoat Roof Galvanised Iron Primer
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour

Concrete Tiles

- Apply 1 coat of Procoat Roof Sealer or Basecoat
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour

Decramastic Chip Tile

- · Apply 1 coat of Procoat Roof Bituminous Primer or Basecoat, rechip as required
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour

15 Year Guarantee

The Procoat Roof paint system can also offer an extended 15 year guarantee when applied by an approved applicator. This guarantee involves the application of 1 further coat of the Procoat Roof paint system along with a detailed maintenance and service programme provided by your approved Procoat Roof applicator.

This system involves thoroughly preparing the surface by removing all dirt and contaminants, and treating the roof with Procoat Roof Clean moss, mould and lichen treatment. The roof is then sealed and/or primed (depending on the substrate and condition of the roof), before the application of chosen Roof Plus topcoat.

Galvanised Iron

- Apply 1 coat of Procoat Roof Galvanised Iron Primer
- Apply 1 coat of Procoat Roof Basecoat
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour

Concrete Tiles

- Apply 1 coat of Procoat Roof Sealer or Basecoat
- Apply 1 coat of Procoat Roof Basecoat
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour

Decramastic Chip Tile

- · Apply 1 coat of Procoat Roof Bituminous Primer or Basecoat, rechip as required
- Apply 1 coat of Procoat Roof Basecoat
- Apply 2 coats of Procoat Roof topcoat in selected finish and colour



Manufactured by Decora Group Ltd.
7 Akatea Road, Glendene, Auckland 0602
www.decora.co.nz